

COUNTY OF SAN MATEO, PLANNING AND BUILDING DEPARTMENT

**NOTICE OF INTENT TO ADOPT
MITIGATED NEGATIVE DECLARATION**

A notice, pursuant to the California Environmental Quality Act of 1970, as amended (Public Resources Code 21,000, et seq.), that the following project: Crabtree Single-Family Residential Addition when adopted and implemented, will not have a significant impact on the environment.

FILE NO.: PLN 2021-00011

OWNER: Gerald Crabtree

APPLICANT: Daniel Spiegel

NAME OF PERSON UNDERTAKING THE PROJECT OR RECEIVING THE PROJECT APPROVAL (IF DIFFERENT FROM APPLICANT):

ASSESSOR'S PARCEL NO.: 081-100-110

LOCATION: 7 Durham Road, San Gregorio

PROJECT DESCRIPTION

Resource Management-Coastal Zone, Grading, and Coastal Development Permits (CDP) to allow for the alteration/addition to an existing 2,981 sq. ft. house. The project includes construction of a new 2,308 sq. ft. basement, new 2,010 sq. ft. second floor and roof terrace, one attached trellis structure to the existing main house, and modification to an existing patio. The project will involve 1,065 cubic yards grading and the removal of one tree greater than 12-inch in diameter. The CDP is not appealable to the CA Coastal Commission.

FINDINGS AND BASIS FOR A NEGATIVE DECLARATION

The Current Planning Section has reviewed the initial study for the project and based upon substantial evidence in the record, finds that:

1. The project will not adversely affect water or air quality or increase noise levels substantially.
2. The project will not have adverse impacts on the flora or fauna of the area.
3. The project will not degrade the aesthetic quality of the area.
4. The project will not have adverse impacts on traffic or land use.

5. In addition, the project will not:
 - a. Create impacts which have the potential to degrade the quality of the environment.
 - b. Create impacts which achieve short-term to the disadvantage of long-term environmental goals.
 - c. Create impacts for a project which are individually limited, but cumulatively considerable.
 - d. Create environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly.

The County of San Mateo has, therefore, determined that the environmental impact of the project is insignificant.

MITIGATION MEASURES included in the project to avoid potentially significant effects:

Mitigation Measure 1: The applicant shall submit a plan to the Planning and Building Department prior to the issuance of any building permit that, at a minimum, includes the “Basic Construction Mitigations Measures” as listed in Table 8-2 of the BAAQMD CEQA Guidelines (May 2017). These measures shall be implemented prior to beginning any ground disturbance and shall be maintained for the duration of the project activities:

- a. All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access road) shall be watered two times per day.
- b. All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
- c. All visible mud or dirt track-out onto adjacent paved roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
- d. All vehicle speeds on unpaved roads shall be limited to 15 mph.
- e. Idling times shall be minimized either by shutting equipment or vehicles off when not in use or reducing the maximum idling time to 5 minutes (as required by the California Airborne Toxics Control Measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.
- f. All construction equipment shall be maintained and properly tuned in accordance with manufacturer’s specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.
- g. Post a publicly visible sign with the telephone number and person to contact at the County regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Bay Area Air Quality Management District’s phone number shall also be visible to ensure compliance with applicable regulations.

Mitigation Measure 2: Prior to issuance of the building permit and/or commencement to any project related activities the applicant shall provide a study of the project site completed by a qualified professional archaeologist. Any measures recommended by the archaeologist shall be implemented for the duration of the project.

Mitigation Measure 3: In the event that unanticipated cultural resources are exposed during ground disturbance activities, work within 15 meters (50 feet) of the find must stop and a Secretary of the Interior qualified archaeologist, must be notified immediately. Work may not resume until a qualified archaeologist can evaluate the significance of the find. If the discovery proves significant, additional work such as archaeological testing, data recovery, or tribal consultation may be warranted.

Mitigation Measure 4: Although not anticipated, there remains the potential for the inadvertent discovery of human remains during ground-disturbing activities. State of California Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the county coroner has made a determination of origin and disposition pursuant to PRC Section 5097.98. The San Mateo County coroner must be notified of the find immediately. If concentrations of prehistoric or historic-era materials are encountered during project activities, all work in the immediate vicinity shall cease until a qualified archaeologist can evaluate the finds and make recommendations.

Mitigation Measure 5: Prior to commencement of the project, the applicant shall submit to the Planning Department for review and approval an erosion and sediment control plan that shows how the transport and discharge of soil and pollutants from and within the project site shall be minimized. The plan shall be designed to minimize potential sources of sediment, control the amount of runoff and its ability to carry sediment by diverting incoming flows and impeding internally generated flows, and retain sediment that is picked up on the project site through the use of sediment-capturing devices. The plan shall also limit application, generation, and migration of toxic substances, ensure the proper storage and disposal of toxic materials, and apply nutrients at rates necessary to establish and maintain vegetation without causing significant nutrient runoff to surface waters. Said plan shall adhere to the San Mateo County Wide Stormwater Pollution Prevention Program "General Construction and Site Supervision Guidelines," including:

- a. Sequence construction to install sediment-capturing devices first, followed by runoff control measures and runoff conveyances. No construction activities shall begin until after all proposed measures are in place.
- b. Minimize the area of bare soil exposed at one time (phased grading).
- c. Clear only areas essential for project activities.
- d. Within five days of clearing or inactivity, stabilize bare soils through either non-vegetative BMPs, such as mulching, or vegetative erosion control methods such as seeding. Vegetative erosion control shall be established within two weeks of seeding/planting.
- e. Project site entrances shall be stabilized immediately after grading and frequently maintained to prevent erosion and control dust.
- f. Control wind-born dust through the installation of wind barriers such as hay bales and/or sprinkling.

- g. Soil and/or other construction-related material stockpiled on-site shall be placed a minimum of 200 feet from all wetlands and drain courses. Stockpiled soils shall be covered with tarps at all times of the year.
- h. Intercept runoff above disturbed slopes and convey it to a permanent channel or storm drains by using earth dikes, perimeter dikes or swales, or diversions. Use check dams where appropriate.
- i. Provide protection for runoff conveyance outlets by reducing flow velocity and dissipating flow energy.
- j. Install storm drain inlet protection that traps sediment before it enters any adjacent storm sewer systems. This barrier shall consist of filter fabric, straw bales, gravel, or sandbags.
- k. Install sediment traps/basins at outlets of diversions, channels, slope drains, or other runoff conveyances that discharge sediment-laden water. Sediment traps/ basins shall be cleaned out when 50 percent full (by volume).
- l. Use silt fence and/or vegetated filter strips to trap sediment contained in sheet flow. The maximum drainage area to the fence should be 0.5-acre or less per 100 feet of fence. Silt fences shall be inspected regularly, and sediment removed when it reaches 1/3 the fence height. Vegetated filter strips should have relatively flat slopes and be vegetated with erosion resistant species.
- m. Utilize coir fabric/netting on sloped graded areas to provide a reduction in water velocity, erosive areas, habitat protection, and topsoil stabilization.
- n. Throughout the construction period, the applicant shall conduct regular inspections of the condition and operational status of all structural BMPs required by the approved Erosion Control Plan.

Mitigation Measure 6: The applicant shall implement the following basic construction measures at all times:

- a. Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California Airborne Toxic Control Measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.
- b. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator.
- c. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. This person, or his/her designee, shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

Mitigation Measure 7: The applicant shall implement erosion control measures prior to the beginning of grading or construction operations. Such activities shall not commence until the associated building permit for the project has been issued.

Mitigation Measure 8: The project shall include water runoff prevention measures for the operation and maintenance of the project for the review and approval by the Community Development Director. The project shall identify best management practices (BMPs) appropriate to the uses conducted on-site to effectively prohibit the discharge of pollutants with stormwater runoff and other water runoff produced from the project.

RESPONSIBLE AGENCY CONSULTATION

None

INITIAL STUDY

The San Mateo County Current Planning Section has reviewed the Environmental Evaluation of this project and has found that the probable environmental impacts are insignificant. A copy of the initial study is attached.

REVIEW PERIOD: November 23, 2022- December 13, 2022

All comments regarding the correctness, completeness, or adequacy of this Negative Declaration must be received by the County Planning and Building Department, 455 County Center, Second Floor, Redwood City, no later than **5:00 p.m., December 13, 2022.**

CONTACT PERSON

Angela Chavez
Project Planner, 650/599-7217
achavez@smcgov.org



Angela Chavez, Project Planner

ACC:cmc – ACCGG0378_WCH.DOCX